Malmesbury Town Council

Report on CATG meeting – 1 December 2020

Purpose of the report

1.1 To invite Council/Committee to note the status and progress of its outstanding community issues.

Background

- 2.1 (a) £ 13,360.00 CATG allocation 2020/21
 - (b) £ 12,659.22 Underspend from 2019/20 (Inc committed schemes)
 - (c) £ 3,000.00 Area board underspend (25/03/20)
 - (d) £ 6,657.31 Agreed 3rd party contributions
 - (e) £ 35,184.05 Total budget 2020/21 (a+b+c+d)
 - (f) £ 20,838.03 Committed/New schemes 2020/21
 - £ 14,838.50 remaining budget for 2020/21 (e-f)

2.2

CI Reference	Description	Status
3699	Road safety concerns along	<u>Formal advert</u>
	Bristol Street.	
		From 12 th November
4260	Request for the existing	То
	30mph limit along Gloucester	7 th December
	road to be reduced to 20mph.	
	Change of priority of traffic	
4677	flows requested at the	
	junction of Abbey Row/ Bristol	
	Street/ Gloucester Road,	
	combined with the removal or	
	carriageway restrictions.	
	Concerns expressed over the	
	size of vehicles through	

	Doublondo linko d to accessi	
5003	Parklands linked to excessive	
5602	traffic speed in a	
	predominantly elderly	
5000	populated area.	To be complised with about
5980	Request for one - way route	To be combined with changes
COCC	along Ingram Street.	at Cross Hayes car park (6066).
6066	Make the southern end of the	Awaiting formal advert along
	Cross Hayes car park 'no	with issue 5980 and 3699
	entry.'	Implementation
4247	Durate in Hill CNIAC OF NA	autumn/winter 2020/21.
4317 4786	Burton Hill, SN16 0EW.	No update to report.
4/86	Dangerous levels of speed on	
	A429 in 40mph speed limit	
	area between Malmesbury	
4049	PCC and Grange Lane.	Ctill Assocition development
4948	Park Road.	Still Awaiting development
7.40.4	D4014 Files -l-	plans.
7-19-4	B4014 Filands.	Transport coording to the
	Make the existing Filands	Transport scoping note
	pedestrian path and cycle path	submitted by Gleeson strategic
	from the Tetbury Hill junction	land for walking and cycling
	round to the BP garage or at	proposals on land south of the
	least up to the A429.	B4014 Filands (250 Homes).
		Outline or full planning
		application expected over the
		coming months.
		Will wait for scoping to be done.
7-19-5	To allow two way access for	
7-19-5	To allow two - way access for	Response from MTC received, contribution is inordinately
	cycles on Mill Lane.	high.
		Outlined the breakdown as
		follows.
		£ 300.00 for signage,
		£ 1,700.00 legal costs.
Submitted 11/2/20	B4014 Filands.	
Submitted 11/2/20	Frequent RCT's along this	Didn't meet highways requirements.
	stretch of road. Most recent	Issue closed.
	involved 5 vehicles.	issue cioseu.
	Exceedingly difficult to pull	
	onto B4014 from Hitchings	
	Close.	
7-20-7	Drop kerb request adjacent to	Accessibility in the area
, 20-7	Malmesbury Fire Station.	around Fire Station and
	Wantesbury Fire Station.	Gloucester Road roundabout
		poor. Suggest 1 pair across Fire
		Station entrance and 1 pair at
		roundabout, after discussion
		was agreed to add a single
		drop kerb by the Old goods
		shed also. Approx. cost
		sileu aisu. Appiux. cust

		£ 3600.00.
7-20-3	B4014 Filands, opposite	Site visited. Recommend short
	Filands View.	length of footway between Old
	Difficulty crossing the road due	Lodge and #1 (approx. 8m) and
	to volume and speed of traffic	new pedestrian refuge island
	along with the width of the	adjacent to #5. Requires
	road. Lack of pavement to	detailed design work.
	access narrower part of the	Estimated cost £ 7,000.00 -
	road.	£9,000.00 due to electrical
		work. St Pauls offered to pay.
7-20-4	Webbs Way, Reeds Farm.	Road markings now installed,
	Newly erected 6ft fence	will monitor and report back
	impedes visibility for	to next meeting.
	pedestrians crossing the road	
	Filands view footpath	Existing path meets an
		unsurfaced area with problems
		to resolve, explore going
		through via the path in the
		park area, review needed,
		possible cost £ 2000.00.
	Baskerville turning area	Making double yellow lines
		would be expensive as one-off
		project, suggest doubling up
		with similar when one comes
		forward.
		Still looking at the problems
		about access to /from bypass
		and to/from sewage works,
		possible answer could be a
		combination lock with local
		resident/water board and local
		landowner having access
		number.

2.3 The date of the next meeting is still to be confirmed.